We provide superior performing compressed air



ENGINEERED FOR SUPERIOR PERFORMANCE





Superior Reliability & Longevity



Easy & Cost Saving



Engineered for Superior Performance

e & Fe[illegible]

Pipe Connectors

Flexible Hoses

S
A
R
R

Qui[illegible] Fitting

S
U
D

BLUE ALUMINUM PIPE

GRAY ALUMINUM PIPE

EQUAL PIPE TO PIPE CONNECTORS



GREEN ALUMINUM PIPE



END[illegible]

EQUAL 90° ELBOW

TEE

EQUAL 45° ELBOW

LATERAL REDUCING TEE



AIRpipe
Engineered for Superior Performance

ALUMINUM JOINT MALE T. THREAD

AIRpipe	BSP	DN (mm)	
302 17 0100 02		20	½"
302 17 0101 02		20	¾"
302 17 0200 02		25	½"
302 17 0201 02		25	¾"
302 17 0202 02		25	1"
302 17 0402 02		40	1"
302 17 0403 02		40	1"¼"
302 17 0404 02		40	1"½"
302 17 0405 01		40	2"
302 17 0504 02		50	1"½"
302 17 0505 02		50	2"

*Union connector included

ALUMINUM ELBOW MALE

AIRpipe	BSP	DN (mm)	
302 15 0100 01		20	½"
302 15 0101 01		20	¾"
302 15 0200 01		25	½"
302 15 0202 01		25	1"
302 15 0404 01		40	1"¼"
302 15 0505 01		50	2"

*Union connector included

ALUMINUM ELBOW FEMALE

AIRpipe	BSP	DN (mm)	
302 13 0100 01		20	½"

VALVED WALL BRACKET FEMALE THREAD

AIRpipe	DN	BSP
302 52 0102 03	20	1 PORT ½"
302 52 0202 03	25	1 PORT 1"
302 52 0204 03	25	1 PORT ½"
302 52 0404 03	40	1 PORT 1"½"
302 52 0505 03	50	1 PORT 2"
302 52 0606 01	63	1 PORT2"½"

*Union connector included

AIRpipe	DN	BSP
302 52 0101 03	20	2 PORTS ½"

SWING CHECK VALVE FLANGE

AIRpipe	BSP	DN (mm)	Type
302 80 0400 02		40	Cast Iron
302 80 0500 02		50	Cast Iron

*Union connectors Included

302 80 0600 01		63	Cast Iron
302 80 0700 01		80	Cast Iron
302 80 0800 01		100	Cast Iron
302 80 1000 01		150	Cast Iron
302 80 1100 01		200	Cast Iron

*Use two union connectors

FLEXIBLE HOSES

All flanges contain bolts and flange gasket

AIRpipe	BSP	DN (mm)	SIZE
302 70 0600 01		63	65
302 70 0700 01		80	80
302 70 0800 01		100	100
302 70 1000 01		150	150
302 70 1100 01		200	200

Straight connection, Rubber

AIRpipe	DN (mm)	Length (MM)
302 55 0100 04	20	570
302 55 0200 04	25	570
302 55 0400 04	40	600
302 55 0500 04	50	600

*Unions connectors Included

30°Angle connection, Rubber

AIRpipe	DN (mm)	Length (MM)

FLANGE(CAST IRON) FEMALE THREAD

FIXTURE CONNECTORS & ACCESSORIES

Clamps,Plastic

AIRpipe	BSP	DN (MM)
302 22 0100 01		20
302 22 0200 01		25
302 22 0400 01		40
302 22 0500 01		50
302 22 0600 01		63
302 22 0700 01		80
302 22 0800 01		100

Steel

THREADED ADAPTORS

Aluminum, Male Thread *Male Thread

AIRpipe	BSP		
301 31 0000 01	½"	½"
301 31 0100 01	¾"	¾"
301 31 0200 01	1"	1"
301 31 0400 01	1"½"	1"½"
301 31 0500 01	2"	2"

Aluminum, Male Thread *Female Thread

AIRpipe

AIR ANALYSIS BAG

AIRpipe	BSP	Length (MM)
301 85 0001 01		200
301 85 0002 01		300
301 85 0003 01		400

* 4"½" aside outlet

SAMPLE BOX

AIRpipe	
302 46 0001 01	20ux270x190mm

ALUMINUM PIPE DEBURRER

AIRpipe	DN
301 35 0003 01	20-50

SPANNERS

AIRpipe

301 35 0007 01

ALUMINUM PIPE CUTTER

ADJUSTABLE BRACKET

Complete With Wall Expansion Bolts

AIRpipe	Length (MM)	to suit
301 32 0004 01	1200-2400	Threaded
301 32 0005 01	1800-2000	Flange

GRIP

AIRpipe	
301 33 0003 01	M8

CLAMP

WALL MOUNTED BRACKET

Complete With Wall Expansion Bolts

AIRpipe	Length (MM)
301 32 0000 01	300
301 32 0001 01	500
301 32 0002 01	1200
301 32 0006 01	Suit to DN150/ DN200 pipe

UNIVERSAL BEAM SUSPENDER

CLAMP BOLT LOCK

ELECTRIC

WIRE SUSPENSION CABLE

FIXING BOLT

SOLENOID VALVE

Engineered for Superior Performance

Superior Reliability!

Insertion Depth For DN20~DN50 Connection

DN	Insertion Depth (mm)
50	89

Deburr & Chamfer The Outer and Inner Edges Before Installation



Installation Guide for DN20~DN50









Installation Guide for DN63~DN200





we are at your SERVICE